

NEW

Thermologika® Design

the Elegant side of Heat!




Infrared wall heater



www.vortice-export.com

Thermologika® Design


- Elegant and modern design to suit any room.
- Ideal for domestic and commercial applications where instant heat is required.
- Available in 5 colours and various finishes.
- Can be tilted by approx. 20° to direct the infrared rays towards the area you wish to heat.
- Black die-cast aluminium side panels.
- Grille constructed using stainless steel rods.
- 3 infrared lamps, each with a power of 600 W, for heating by radiation.
- Terminal box for electrical connection housed at the rear on the left-hand side.
- Time required to reach full power 30".
- 3 power levels can be selected using a pull cord: 600 W - 1200 W - 1800 W.
- Option of controlling the individual lamps using external switches and isolating the commutator when performing electrical connection.
- Wall installation with minimal dimensions thanks to sliding brackets and plugs secured with a safety screw.
- Insulation class: Cl.I. 

Accessories:

- Thermologika® Design bracket kit for installation of 2 lamps in series or parallel: code 22496.
- Quartz tube: code 22985.

Design: Volpi Design

Dimensions:



A	B	C	D	Kg
570	132	84	124	2.4


Dimensions (mm)

Technical data

V~50/60 Hz	W	A	IP
230	1800 (600+600+600)	7.8	X4



Thermologika[®] Design... the Elegant side of Heat!




Thermologika[®] Design Standard finish: polished light grey
code 70003

Polished finish



Thermologika[®] Design Grigio
code 70004



Thermologika[®] Design Blu
code 70006

Embossed finish

Thermologika[®] Design Bianca
code 70007



Thermologika[®] Design
Grigio Antracite
code 70005





CE Marking

The new Thermologika Design® infrared lamp conforms to the most recent edition of the following standards:

- EN 60335-1, EN 60335-2-30, EN 62233, relating to Electrical Safety.
- EN 55014-1, EN 55014-2, EN 61000-3-2 and EN 61000-3-3, regarding Electromagnetic Compatibility.
- 2006/95/EC, Low Voltage directive, and 2004/108/EC, Electromagnetic Compatibility directive.

Typical installation:




Restaurant



Shop



Newspaper kiosk



Office



Vortice Elettrosociali S.p.A
Strada Cerca, 2
Frazione di Zoate
20067 Tribiano (Milano)
Tel. (+39) 02.906991
Fax (+39) 02.90699314
Italia
www.vortice-export.com
export@vortice-italy.com

Vortice France
15-33, Rue Le Corbusier
CS 30007
94046 Créteil Cedex
Tél. (+33) 1.55.12.50.00
Fax (+33) 1.55.12.50.01
France
www.vortice-france.com
contact@vortice-france.com

Vortice Limited
Beeches House-Eastern Avenue
Burton on Trent
DE13 0BB
Tel. (+44) 1283.49.29.49
Fax (+44) 1283.54.41.21
United Kingdom
www.vortice.ltd.uk
sales@vortice.ltd.uk